EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	94121	(request\$3 or demand\$3) and content\$1 with (fil\$3 or information) and tim\$3 with (limit\$6 or period or dead\$1line)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 10:12
L2	2658	(request\$3 or demand\$3) same content\$1 with (fil \$3 or information) same tim\$3 with (limit\$6 or period or dead\$1line)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 10:13
L3	672	(request\$3 or demand\$3) with content\$1 with (fil\$3 or information) with tim\$3 with (limit\$6 or period or dead\$1line)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 10:14
L4	145	(request\$3 or demand\$3) with content\$1 with (fil\$3 or information) with tim\$3 with (limit\$6 or period or dead\$1line) and schedul \$3 and distribution with tim\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 10:14
L5	16	(request\$3 or demand\$3) with content\$1 with (fil\$3 or information) with tim\$3 with (limit\$6 or period or dead\$1line) and schedul \$3 and distribution with tim\$3 and "725"\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 10:15
L6	16	(request\$3 or demand\$3) with content\$1 with (fil\$3 or information) with tim\$3 with (limit\$6 or period or dead\$1line) and schedul \$3 and distribution with tim\$3 and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 10:15
L7	233	(request\$3 or demand\$3) with content\$1 with tim\$3 with (limit\$6 or period or dead\$1line) and "725"/\$. ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 10:33
L8	11	(request\$3 or demand\$3) with content\$1 with tim\$3 with (limit\$6 or period or dead\$1line) and "725"/\$. ccls. and @ad<"19990209"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 10:33

L9	17	(request\$3 or demand\$3) with content\$1 and (request\$3 or demand\$3) with tim\$3 with (limit\$6 or period or dead\$1line) and "725"\\$.ccls. and @ad<" 19990209" and distribution with tim\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 10:50
L10	24	(request\$3 or demand\$3) with content\$1 and (request\$3 or demand\$3) with tim\$3 with (limit\$6 or period or dead\$11ine) and "725" \\$.cuts. and @ad<"1990209" and distribut\$4 with tim\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 10:50
L11	6	(request\$3 or demand\$3) with content\$1 same (request\$3 or demand\$3) with tim\$3 with (limit\$6 or period or dead\$1line) and "725"\$.cds. and @ad-c"1990209" and distribut\$4 with tim\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 10:50
L12	13	(request\$3 or demand\$3) with content\$1 same (request\$3 or demand\$3) with tim\$3 with (limit\$6 or period or dead\$1line) and "725"\\$.cds. and @ad<"19990209"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 10:55
L13	56	(request\$3 or demand\$3) with content\$1 and (request\$3 or demand\$3) with tim\$3 with (limit\$6 or period or dead\$1line) and "725"\$ cols. and @ad<"19990209"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 11:03
L14	34	(request\$3 or demand\$3) with content\$1 and (request\$3 or demand\$3) with tim\$3 with (limit\$6 or period or dead\$1line) and "725"\\$.cds. and @a<"19990209" and schedul\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 11:03

L15	37	(request\$3 or demand\$3) with content\$1 and (request\$3 or demand\$3) with (schedul\$3 or tim\$3) with (limit\$6 or period or dead\$1line) and "725"\$. ccls. and @ad<"19990209" and schedul\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 11:05
L16	59	(request\$3 or demand\$3) with content\$1 and (request\$3 or demand\$3) with (schedul\$3 or tim\$3) with (limit\$6 or period or dead\$1line) and "725"/\$. cds. and @ad<"19990209"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 11:05
L17	33	(request\$3 or demand\$3) with content\$1 with (schedul\$3 or expir\$6 or period or dead\$1line) and "725"/\$.cols. and @ad<"19990209"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 11:08
L18	38	(request\$3 or demand\$3) with content\$1 same (request\$3 or demand\$3) with (schedul\$3 or expir \$6 or period or dead \$1line) and "725"/\$.cds. and @ad< "19990209"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 11:57
L19	9	(request\$3 or demand\$3) with content\$1 and (request\$3 or demand\$3) with (schedul\$3 or expir \$6 or period or dead \$1line) and 725/97.cds. and @ad<"19990209"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 12:12
L20	16	(request\$3 or demand\$3) with content\$1 and (request\$3 or demand\$3) with (schedul\$3 or expir \$6 or period or dead \$1line) and 725/116 ccls. and @ad<"19990209"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 12:33
L21	61	(request\$3 or demand\$3) with content\$1 same (schedul\$3 or expir\$6 or period or dead\$1line) and "725"\\$.cols. and @ad<"19990209"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 12:57

L22	33	(request\$3 or demand\$3) with content\$1 with (schedul\$3 or expir\$6 or period or dead\$1line) and "725"\\$.cols. and @ad<"19990209"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 12:57
L23	3	(request\$3 or demand\$3) with content\$1 with (schedul\$3 or expir\$6 or period or dead\$1 line) and "725" (\$ cols. and @ad<"19990209" and distribut\$4 with (dead \$1 line or schedul\$3 or expir\$6 or period\$6)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 12:58
L24	44	(request\$3 or demand\$3) with content\$1 and "725"/ \$.cds. and @ad<"19990209" and distribut\$4 with (dead \$1 line or schedul\$3 or expir\$6 or period\$6)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 13:00
L25	17	(request\$3 or demand\$3) with content\$1 and "725"/ \$.ccls. and @ad<"19990209" and distribut\$4 near5 (dead \$1line or schedul\$3 or expir\$6 or period\$6)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 13:01
L26	4	(request\$3 or demand\$3) with content\$1 and "725"/ \$.cols. and @adc "19990209" and distribut\$4 with (dead \$1 line or schedul\$3 or expir\$6 or period\$6) with conten\$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 13:01
L27	6	(request\$3 or demand\$3) with content\$1 and "725"/ \$.cols. and @adc "19990209" and distribut\$4 with (dead \$1 line or schedul\$3 or expir\$6 or period\$6) with content\$1	US-PCPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 13:02
L28	44	(request\$3 or demand\$3) with content\$1 and "725"/ \$.cols. and @ad<"19990209" and distribut\$4 with (dead \$11ine or schedul\$3 or expir\$6 or period\$6)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/28 13:05

3/28/2009 1:17:29 PM